

# Prime Quality AISI 201 202 304 304L 316L 430 410 904L Round Welded Stainless Steel Pipe Tube

# **Basic Information**

Place of Origin: wuxiBrand Name: tai-steelCertification: ISO9001

Model Number: 201 202 304 304L 316 316L 317L 347H

• Minimum Order Quantity: 10 Tons

• Price: \$750.00/Tons 10-999 Tons

Packaging Details: Wooden pallet ,Wooden box or according to

customer's request

Delivery Time: 8-14 daysPayment Terms: L/C, T/T

• Supply Ability: 20000 Ton/Tons per Month



# **Product Specification**

• Standard: ASTM

Type: Welded, Welded, SeamlessApplication: Construcion/Building /Industry

Section Shape: RoundSurface Finish: TSHS


• Invoicing: By Theoretical Weight


• Highlight: 430 stainless steel pipe, 410 stainless steel pipe

, 904l stainless steel pipe



# More Images





# **Product Description**

Custom Cold Rolled AISI 1 1.5 2 2.5inch 8inch 201 304 316L Welded Round Stainless Steel Tube Pipeline Pipe Application:Heat exchanger tubes; condenser tubes; oxygen-blowing welded tubes; wire casings; metric welded tubes; roller tubes; deep well pump tubes; automotive tubes; transformer tubes; electric welded thin-walled tubes; electric welded special-shaped tubes; etc.

ASTM A312 Polished Decorative tube 201 304 304L 316 316L Round Schedule 10 Stainless Steel Pipe Stainless steel pipes are widely used in petroleum, chemical, medical, food, light industry, mechanical instrumentation and other industrial pipelines and mechanical structural parts. In addition, when the bending and torsion strength are the same, the weight is lighter, so it is also widely used in the manufacture of mechanical parts and engineering structures. It is also often used as furniture and kitchen utensils.

# Specification

Length Less Than 12 m  GB12771-91, ASTM A1053/A1053M-06, ASTM A268/A268M-05A, ASTM A269-07 ASTM A270-03A, ASTM A312/A312M-06, ASTM A358/A358M-05, ASTM A632-04  Standard ASTM A789/A789M-05b, ASTM A790/A790M-05b, ASTM A872/A872M-07A, ASTM A949/A949M-01(2005), ASTM A999/A999M-04A  Construction building material, curtain wall bracket, guardrail/handrailing material, petroleum oil and gas transmission, coal, decoration, chemical engineering, food processing, agricultural use, indoor pipeline, water heater, boiler, bathtub etc.  Ends Protector Plastic pipe cap on both ends  Technique Cold Rolled  Surface Finished Polishing grit400/grti600/grti800 ect  Section Shape Round, Bevled  Inner Packing:Caps at both ends, steel strong trips on every bundle, Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), shipped with 20' or 40' container or in bulk carrier.  As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order	Name	Stainless Welded Steel Pipe		
Length Less Than 12 m  GB12771-91, ASTM A1053/A1053M-06, ASTM A268/A268M-05A, ASTM A269-07 ASTM A270-03A, ASTM A312/A312M-06, ASTM A358/A358M-05, ASTM A632-04  ASTM A789/A789M-05b, ASTM A790/A790M-05b, ASTM A872/A872M-07A, ASTM A949/A949M-01(2005), ASTM A999/A999M-04A  Construction building material, curtain wall bracket, guardrail/handrailing material, petroleum oil and gas transmission, coal, decoration, chemical engineering, food processing, agricultural use, indoor pipeline, water heater, boiler, bathtub etc.  Ends Protector Plastic pipe cap on both ends  Technique Cold Rolled  Surface Finished Polishing grit400/grti600/grti800 ect  Section Shape Round, Bevled  Inner Packing:Caps at both ends, steel strong trips on every bundle, Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), shipped with 20' or 40' container or in bulk carrier.  As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order		Outer Diameter	10.3~610 mm	
Length Less Than 12 m  GB12771-91, ASTM A1053/A1053M-06, ASTM A268/A268M-05A, ASTM A269-07 ASTM A270-03A, ASTM A312/A312M-06, ASTM A358/A358M-05, ASTM A632-04  Standard ASTM A789/A789M-05b, ASTM A790/A790M-05b, ASTM A872/A872M-07A, ASTM A949/A949M-01(2005), ASTM A999/A999M-04A  Construction building material, curtain wall bracket, guardrail/handrailing material, petroleum oil and gas transmission, coal, decoration, chemical engineering, food processing, agricultural use, indoor pipeline, water heater, boiler, bathtub etc.  Ends Protector Plastic pipe cap on both ends  Technique Cold Rolled  Surface Finished Polishing grit400/grti600/grti800 ect  Section Shape Round, Bevled  Inner Packing:Caps at both ends, steel strong trips on every bundle, Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), shipped with 20' or 40' container or in bulk carrier.  As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order	Size	Wall Thickness	1.24~52.37 mm,Sizes can be customized	
ASTM A270-03A, ASTM A312/A312M-06, ASTM A358/A358M-05, ASTM A632-04  ASTM A789/A789M-05b, ASTM A790/A790M-05b, ASTM A872/A872M-07A, ASTM A949/A949M-01(2005), ASTM A999/A999M-04A  Construction building material, curtain wall bracket, guardrail/handrailing material, petroleum oil and gas transmission, coal, decoration, chemical engineering, food processing, agricultural use, indoor pipeline, water heater, boiler, bathtub etc.  Ends Protector Plastic pipe cap on both ends  Technique Cold Rolled  Surface Finished Polishing grit400/grti600/grti800 ect  Section Shape Round, Bevled  Inner Packing:Caps at both ends, steel strong trips on every bundle, Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), shipped with 20' or 40' container or in bulk carrier.  As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order		Length	Less Than 12 m	
Standard  ASTM A789/A789M-05b, ASTM A790/A790M-05b, ASTM A872/A872M-07A, ASTM A949/A949M-01(2005), ASTM A999/A999M-04A  Construction building material, curtain wall bracket, guardrail/handrailing material, petroleum oil and gas transmission, coal, decoration, chemical engineering, food processing, agricultural use, indoor pipeline, water heater, boiler, bathtub etc.  Ends Protector Plastic pipe cap on both ends  Technique Cold Rolled  Surface Finished Polishing grit400/grti600/grti800 ect  Section Shape Round, Bevled  Inner Packing:Caps at both ends, steel strong trips on every bundle, Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), shipped with 20' or 40' container or in bulk carrier.  As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order		GB12771-91, ASTM A1053/A1053M-06, ASTM A268/A268M-05A, ASTM A269-07		
A949/A949M-01(2005), ASTM A999/A999M-04A  Construction building material, curtain wall bracket, guardrail/handrailing material, petroleum oil and gas transmission, coal, decoration, chemical engineering, food processing, agricultural use, indoor pipeline, water heater, boiler, bathtub etc.  Ends Protector Plastic pipe cap on both ends  Technique Cold Rolled  Surface Finished Polishing grit400/grti600/grti800 ect  Section Shape Round, Bevled  Inner Packing:Caps at both ends, steel strong trips on every bundle, Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), shipped with 20' or 40' container or in bulk carrier.  As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order		ASTM A270-03A, ASTM A312/A312M-06, ASTM A358/A358M-05, ASTM A632-04		
Construction building material, curtain wall bracket, guardrail/handrailing material, petroleum oil and gas transmission, coal, decoration, chemical engineering, food processing, agricultural use, indoor pipeline, water heater, boiler, bathtub etc.  Ends Protector Plastic pipe cap on both ends  Technique Cold Rolled  Surface Finished Polishing grit400/grti600/grti800 ect  Section Shape Round, Bevled  Inner Packing:Caps at both ends, steel strong trips on every bundle, Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), shipped with 20' or 40' container or in bulk carrier. As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order	Standard	ASTM A789/A789M-05b, ASTM A790/A790M-05b, ASTM A872/A872M-07A, ASTM		
Usage petroleum oil and gas transmission, coal, decoration, chemical engineering, food processing, agricultural use, indoor pipeline, water heater, boiler, bathtub etc.  Ends Protector Plastic pipe cap on both ends  Technique Cold Rolled  Surface Finished Polishing grit400/grti600/grti800 ect  Section Shape Round, Bevled  Inner Packing:Caps at both ends, steel strong trips on every bundle, Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), shipped with 20' or 40' container or in bulk carrier. As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order		A949/A949M-01(2005), ASTM A999/A999M-04A		
processing, agricultural use, indoor pipeline, water heater, boiler, bathtub etc.  Ends Protector Plastic pipe cap on both ends  Technique Cold Rolled  Surface Finished Polishing grit400/grti600/grti800 ect  Section Shape Round, Bevled  Inner Packing:Caps at both ends, steel strong trips on every bundle, Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), shipped with 20' or 40' container or in bulk carrier. As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order				
processing, agricultural use, indoor pipeline, water heater, boiler, bathtub etc.  Ends Protector Plastic pipe cap on both ends  Technique Cold Rolled  Surface Finished Polishing grit400/grti600/grti800 ect  Section Shape Round, Bevled  Inner Packing:Caps at both ends, steel strong trips on every bundle, Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), shipped with 20' or 40' container or in bulk carrier. As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order	Usage			
Technique Cold Rolled  Surface Finished Polishing grit400/grti600/grti800 ect  Section Shape Round, Bevled  Inner Packing:Caps at both ends, steel strong trips on every bundle, Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), shipped with 20' or 40' container or in bulk carrier. As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order				
Surface Finished Polishing grit400/grti600/grti800 ect  Section Shape Round, Bevled Inner Packing:Caps at both ends, steel strong trips on every bundle, Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), shipped with 20' or 40' container or in bulk carrier.  As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order	Ends Protector			
Section Shape Round, Bevled  Inner Packing:Caps at both ends, steel strong trips on every bundle, Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), shipped with 20' or 40' container or in bulk carrier. As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order	Technique	Cold Rolled		
Inner Packing:Caps at both ends, steel strong trips on every bundle, Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), Package shipped with 20' or 40' container or in bulk carrier. As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order	Surface Finished	Polishing grit400/grti600/grti800 ect		
Outer Packing:PE Wrapping outside, Export Standard Packing Method(Bundle with steel strip, steel pallet), Package shipped with 20' or 40' container or in bulk carrier. As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order	Section Shape	Round, Bevled		
Export Standard Packing Method(Bundle with steel strip, steel pallet), Package Shipped with 20' or 40' container or in bulk carrier. As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order				
Package shipped with 20' or 40' container or in bulk carrier.  As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order		Outer Packing:PE Wrapping outside,		
As Customers' Request.  Date of Delivery According To The Quantity And Specification Of Each Order		1 ' ' ' '		
Date of Delivery According To The Quantity And Specification Of Each Order	Package	''		
		As Customers' Request.		
Payment L/C, T/T, Western Union, Alibaba Trade Assurance	Date of Delivery	, ,		
, , , , , , , , , , , , , , , , , , , ,	Payment	L/C, T/T, Western Union, Alibaba Trade Assurance		

### Product Description

# Product Detail —



Strict selection of raw materials: it has strong bearing capacity, is not easy to rust, and has good mechanical properties, stamping, processing, bending and other hot working properties

Mass production: large-scale factory, mature process, stable sample delivery speed, fast customization and short construction period to meet your



Strict quality inspection: CNC lathe production, excellent industrial design, strict quality inspection

Spot stock: We have a spacious warehouse, a large number of spot goods can be arranged quickly, and the transportation process can be



Inventory display
















Packing & Delivery

# **Packaging**







We have develop clients all round the world ,our products are widely used in industry in USA ,Germany ,India ,Iran , Dubai , Iraq , Vietnam , Ireland , Singapore ,and so on .The specifications are complete and the price is favorable. Our company can order various non-standard specifications on behalf of customers. , special material steel products, can be delivered to your door, ordering quickly.

# Company Profile

Wuxi Taiding stainless steel Co., Ltd., is a stainless steel/carbon steel/alloy company engaged in the researching, stocking, sale and service of stainless steel sheet, stainless steel pipes, stainless steel profile, stainless steel bar, stainless steel coils. Carbon steel, alloy steel products. We are located in China with convenient transportation access. Our factory has rich experience in selling, stocking as we are engaged in domestic market and foreign market. Our company is the collection of selling and stocking. And now we have stock over 2000 tons with more than 800 kinds of specifications in our warehouse. Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss your requirements and ensure full customer satisfaction. Selling well in all cities and provinces around China.

Our company is sincerely willing to cooperate with enterprises from all over the world in order to realize a win-win situation since the trend of economic globalization has developed with anirresistible force.

### Workshop display



#### **Production equipment**

STAINLESS STEEL SHEET




#### Workshop

STAINLESS STEEL COIL



#### Stock

STAINLESS STEEL PRODUCTS



Application

# **Application place**











Wuxi TAIDING Stainless Steel Co., Ltd.



+86 15850543668



vincentfang@taidingss.com



e stainless-steelsheetcoil.com

28 Nongshi Road, Xishan District, Wuxi City, Jiangsu Province, China